Event (Disease or Condition) Code List, Arranged in Alphabetical Order, for Nationally Notifiable Diseases and for Other Conditions of Public Health Importance Epidemiology Program Office, Centers for Disease Control and Prevention Updated as of December 18, 2002

Code	Event	Notes+	Print Criteria†
10245	African Tick Bite Fever		
10560	AIDS*	No longer collected through NETSS. Data supplied	Print criteria are determined by
		to EPO by CDC program on monthly basis.	the CDC AIDS/HIV program.
11040	Amebiasis	Deleted from NNDL in 1995.	
10350	Anthrax*		All reports are printed. Before
			printing, information is verified
			with the State Epidemiologist,
			and a courtesy e-mail is sent to
			NCID.
10010	Aseptic meningitis	Deleted from NNDL in 1995.	
32020	Asthma, Work-related		
12010	Babesiosis		
10650	Bacterial meningitis, other	Extended record format available for NETSS	
		transmission.	
10530	Botulism, foodborne*		All reports are printed.
10540	Botulism, infant*		All reports are printed.
10550	Botulism, other (includes	Codes 10548 and 10549 can be used to track "other	All reports are printed.
	wound)*	unspecified" and "wound" botulism separately.	
		Event code 10550 should only be used by states	
		who cannot report separately using codes 10548	
		and 10549.	

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
10548	Botulism, other unspecified*	Use code 10548 if you can differentiate "other unspecified" botulism from "wound" botulism; otherwise, use code 10550.	All reports are printed.
	Botulism, wound*	Use code 10549 if you can differentiate "wound" botulism from "other unspecified" botulism; otherwise, use code 10550.	All reports are printed.
	Brucellosis*		All reports are printed.
11020	Campylobacteriosis		
10273	Chancroid*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed.
10274	Chlamydia trachomatis genital infection*	Added to NNDL in 1995. Extended record format available for STD*MIS data transmitted through NETSS.	All reports are printed.
10470	Cholera (toxigenic <i>Vibrio</i> cholerae 01 or 0139)*		All reports are printed. Before printing, the existence of "toxigenic O1 or O139" serospecies and other information is verified with the State Epidemiologist, and a courtesy e-mail is sent to NCID.
11900	Coccidioidomycosis*	Added to NNDL in 1995.	All reports are printed.
11580	Cryptosporidiosis*	Added to NNDL in 1995.	All reports are printed.
	Cyclosporiasis*	Added to NNDL in 1999.	All reports are printed.
10680	Dengue Fever		
10685	Dengue hemorrhagic fever		

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
10040	Diphtheria*	There is no disease-specific extended record transmitted through NETSS for this condition.	CSTE VPD print criteria are used. Cases with confirmed, probable, and unknown case status are printed.
11087	Ehrlichiosis human, other or unspecified agent*	Added to NNDL in 2001.	All reports are printed.
11085	Ehrlichiosis, human granulocytic* (HGE)	Added to NNDL in 1998.	All reports are printed.
	Ehrlichiosis, human monocytic* (HME)	Added to NNDL in 1998.	All reports are printed.
	Encephalitis, post- chickenpox	Deleted from NNDL in 1995.	
	Encephalitis, post-mumps	Deleted from NNDL in 1995.	
	Encephalitis, post-other	Deleted from NNDL in 1995.	
10050	Encephalitis, primary	Deleted from NNDL in 1995. Replaced by event codes 10051-10058.	
10058	Encephalitis, Cache Valley		
10054	Encephalitis/meningitis, California serogroup viral*	Added to NNDL in 1995 (see Encephalitis, primary, 10050).	Cases with confirmed and probable case status are printed, as per the request of NCID. In addition, for the <i>MMWR</i> weekly provisional tables only, the event date year must also equal the <i>MMWR</i> year, for the reported case to print (effective January 3, 2003).

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
10053	Encephalitis/meningitis,	Added to NNDL in 1995 (see Encephalitis,	Cases with confirmed and
	eastern equine* (EEE)	primary, 10050).	probable case status are
			printed, as per the request of
			NCID. In addition, for the
			MMWR weekly provisional
			tables only, the event date year
			must also equal the MMWR
			year, for the reported case to
			print (effective January 3,
10057		A 11 14 NDIDL : 2002	2003).
1005/	Encephalitis/meningitis, Powassan*	Added to NNDL in 2002.	Cases with confirmed and
	Powassan"		probable case status are
			printed, as per the request of NCID. In addition, for the
			MMWR weekly provisional
			tables only, the event date year
			must also equal the MMWR
			year, for the reported case to
			print (effective January 3,
			2003).
10051	Encephalitis/meningitis, St.	Added to NNDL in 1995 (see Encephalitis,	Cases with confirmed and
	Louis*	primary, 10050).	probable case status are
			printed, as per the request of
			NCID. In addition, for the
			MMWR weekly provisional
			tables only, the event date year
			must also equal the MMWR
			year, for the reported case to
			print (effective January 3,
			2003).

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
	Encephalitis/meningitis, Venezuelan equine (VEE)		
10056	Encephalitis/meningitis, West Nile*	Added to NNDL in 2002. Use code 10049 for West Nile Fever.	probable case status are printed, as per the request of NCID. In addition, for the <i>MMWR</i> weekly provisional tables only, the event date year must also equal the <i>MMWR</i> year, for the reported case to print (effective January 3, 2003).
10052	Encephalitis/meningitis, western equine* (WEE)	Added to NNDL in 1995 (see Encephalitis, primary, 10050).	Cases with confirmed and probable case status are printed, as per the request of NCID. In addition, for the <i>MMWR</i> weekly provisional tables only, the event date year must also equal the <i>MMWR</i> year, for the reported case to print (effective January 3, 2003).
	Enterohemorrhagic Escherichia coli (EHEC) shiga toxin+ (serogroup non-0157)*	Added to NNDL in 2001.	All reports are printed.
	Enterohemorrhagic Escherichia coli (EHEC) O157:H7*	Added to NNDL in 1994.	All reports are printed.

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
11564	Enterohemorrhagic	Added to NNDL in 2001.	All reports are printed.
	Escherichia coli (EHEC)		
	shiga toxin+ (not		
	serogrouped)*		
	• \	Data collected for CDC program.	
	Giardiasis*	Added to NNDL in 2002.	All reports are printed.
10280	Gonorrhea*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed.
10276	Granuloma inguinale (GI)	Deleted from NNDL in 1995. Extended record format available for STD*MIS line-listed data transmitted through NETSS.	
	Haemophilus influenzae, invasive disease*	transmission	CSTE VPD print criteria are used. Cases with confirmed, probable, and unknown case status are printed.
10380	Hansen disease (Leprosy)*		All reports are printed.
	Hantavirus infection	If infection results in illness meeting the Hantavirus Pulmonary Syndrome case definition, use event code 11590 and do not report using code 11610. However, if patient has evidence of infection without meeting the Hantavirus Pulmonary Syndrome case definition, report using 11610.	
	Hantavirus Pulmonary Syndrome*	Added to NNDL in 1995.	All reports are printed. Before printing, information is verified with the State Epidemiologist, and a courtesy e-mail is sent to NCID.
42020	Head injury		

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
11550	Hemolytic uremic	Added to NNDL in 1995.	All reports are printed. Before
	syndrome postdiarrheal*		printing, information is verified
			with the State Epidemiologist,
			and a courtesy e-mail is sent to
			NCID.
10110	Hepatitis A, acute*	Extended record format available for NETSS	All reports are printed.
		transmission.	
10105	Hepatitis B virus infection,	Added to NNDL in 2003.	Only confirmed cases are
	chronic*		printed, as per the CDC
			Hepatitis Branch
10100	Hepatitis B, acute*	Extended record format available for NETSS	All reports are printed.
		transmission.	
	•	Event code 10100 was previously used for this	All reports are printed.
	perinatal*	condition.	
	Hepatitis C virus infection,	Added to NNDL in 2003	Only confirmed cases are
	past or present*		printed, as per the CDC
10101		7	Hepatitis Branch.
10101	Hepatitis C, acute*	Extended record format available for NETSS	All reports are printed. Data
		transmission.	merged with event code 10480
			when printed in MMWR tables
			under heading "Hepatitis,
10102	II. (''. D. l	D. H. J.C. CDC	C/NA,NB."
	Hepatitis Delta co- or super-	Data collected for CDC program. Extended record	
		format available for NETSS transmission.	
10103	Hepatitis E, acute	Data collected for CDC program. Extended record	
10400	11 /:/: A D	format available for NETSS transmission.	
	Hepatitis, non A, non B,	Deleted from NNDL in 2003	
	acute		
10120	Hepatitis, viral unspecified	Deleted from NNDL in 1995.	

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
	HIV Infection, adult*	Not collected through NETSS. Data are not currently supplied by CDC program.	
	HIV Infection, pediatric*	Not collected through NETSS. Data supplied to EPO by CDC program on a monthly basis.	Print criteria are determined by the CDC HIV/AIDS program.
	Human T-Lymphotropic virus type I infection (HTLV-I)		
	Human T-Lymphotropic virus type II infection (HTLV-II)		
	Influenza, animal isolates		
	Influenza, human isolates		
	Kawasaki Disease		
	Lead poisoning		
	Legionellosis*		All reports are printed.
	Leptospirosis	Deleted from NNDL in 1995.	
10640	Listeriosis*	Added to NNDL in 1999. Extended record format available for NETSS transmission.	All reports are printed.
11080	Lyme disease*	Extended record format available for NETSS transmission.	All reports are printed.
10306	Lymphogranuloma venereum (LGV)	Deleted from NNDL in 1995. Extended record format available for STD*MIS line-listed data transmitted through NETSS.	
10130	Malaria*		All reports are printed.
10140	Measles (rubeola), total*	Extended record format available for NETSS transmission.	CSTE VPD print criteria are used. Cases with confirmed and unknown case status are printed.

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
10150	Meningococcal disease*	Extended record format available for NETSS	All reports are printed.
	(Neisseria meningitidis)	transmission.	
42040	Motor vehicle injury	Data for this event are not currently transmitted	
		through NETSS.	
10308	Mucopurulent cervicitis	Extended record format available for STD*MIS	
	(MPC)	line-listed data transmitted through NETSS.	
10180	Mumps*	Extended record format available for NETSS	CSTE VPD print criteria are
		transmission.	used. Cases with confirmed,
			probable, and unknown case
			status are printed.
10317	Neurosyphilis*	Extended record format available for STD*MIS	All reports are printed.
		line-listed data transmitted through NETSS.	
	Nongonococcal urethritis	Extended record format available for STD*MIS	
	(NGU)	line-listed data transmitted through NETSS.	
	Other injury		
10309	Pelvic Inflammatory Disease	Extended record format available for STD*MIS	
	(PID), Unknown Etiology	line-listed data transmitted through NETSS.	
10190	Pertussis*	Extended record format available for NETSS	CSTE VPD print criteria are
		transmission.	used. Cases with confirmed,
			probable, and unknown case
			status are printed.
10440	Plague*		All reports are printed. Before
			printing, information is verified
			with the State Epidemiologist,
			and a courtesy e-mail is sent to
			NCID.

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
10410	Poliomyelitis, paralytic*	There is no disease-specific extended record	CSTE VPD print criteria are
		transmitted through NETSS for this condition.	used. Confirmed cases
			classified by an expert panel of
			polio experts are printed.
			Before printing, information is
			verified with the State
			Epidemiologist, and a courstey
			e-mail is sent to NIP.
10450	Psittacosis* (Ornithosis)		All reports are printed.
10255	Q fever*	Added to NNDL in 1999.	All reports are printed.
10340	Rabies, animal*	Animal species reportable in NETSS transmission.	All reports are printed.
10460	Rabies, human*		All reports are printed. Before
			printing, information is verified
			with the State Epidemiologist,
			and a courtesy e-mail to NCID
			is sent.
11030	Reye syndrome		
11050	Rheumatic fever	Deleted from NNDL in 1995.	
	Rocky Mountain spotted		All reports are printed.
	fever*		
10200	Rubella*	Extended record format available for NETSS	CSTE VPD print criteria are
		transmission	used. Cases with confirmed and
			unknown case status are
			printed.

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
10370	Rubella, congenital		CSTE VPD print criteria are
	syndrome*		used. Cases with confirmed,
			probable, and unknown case
			status are printed. Before
			printing, information is verified
			with the State Epidemiologist,
			and a courtesy e-mail is sent to
			NIP.
	Salmonellosis*		All reports are printed.
	Shigellosis*		All reports are printed.
	Silicosis	Added to NNDL in 1996.	
11800	Smallpox	Code used for CDC historical data and for	
		voluntary reporting from states. On the	
		bioterrorism critical agents list.	
	Spinal cord injury		
11661	Staphylococcus aureus,		
	coagulase-positive,		
	methicillin- or oxicillin-		
	resistant (MRSA)		
11665	Staphylococcus aureus,		
	coagulase-positive,		
	vancomycin-resistant		
	(VRSA)		
11663	Staphylococcus aureus,		
	vancomycin intermediate		
	susceptibility (VISA)		
11710	Streptococcal disease,	Added to NNDL in 1995.	All reports are printed.
	invasive, Group A*		

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
	Streptococcal disease, invasive, Group B		
11716	Streptococcal disease, other, invasive, beta-hemolytic (non-group A and non-group B)	Added for use in the National Electronic Disease Surveillance System Bacterial Meningitis and Invasive Respiratory Disease Program Area Module	
	Streptococcal toxic-shock syndrome*	Added to NNDL in 1995.	All reports are printed.
	Streptococcus pneumoniae invasive, drug-resistant*	Added to NNDL in 1995.	All reports are printed.
	Streptococcus pneumoniae, invasive disease*	Added to NNDL in 2000. Only nationally notifiable in children < 5 years.	All reports are printed of cases in children < 5 years old.
	Sudden Infant Death Syndrome		
42050	Suicide		
10316	Syphilis, congenital*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed. Before printing, information is verified with the State Epidemiologist, and a courtesy e-mail to NCID is sent.
10313	Syphilis, early latent*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed.
10314	Syphilis, late latent*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed.
	Syphilis, late with clinical manifestations other than neurosyphilis*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed.
10311	Syphilis, primary*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed.

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
	Syphilis, secondary*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed.
10310	Syphilis, total primary and secondary*	Used by states not using STD*MIS or other linelisted STD reporting through NETSS, but instead used for transmitting summary data through NETSS.	All reports are printed.
10315	Syphilis, unknown latent*	Extended record format available for STD*MIS line-listed data transmitted through NETSS.	All reports are printed.
10210	Tetanus*	Extended record format available for NETSS transmission	CSTE VPD criteria are used. Cases with confirmed and unknown case status are printed.
	Toxic-shock syndrome (staphylococcal)*		All reports are printed.
	Toxoplasmosis		
	Trichinosis*		All reports are printed.
10220	Tuberculosis*	Extended record format for system tracking is available from TIMS for NETSS transmission.	Print criteria are determined by the CDC Tuberculosis program.
10230	Tularemia*	Deleted from NNDL in 1995; Added to NNDL in 1999.	All reports are printed.
10240	Typhoid fever* (caused by Salmonella typhi)		All reports are printed.
10260	Typhus Fever, (endemic fleaborne, Murine)	Deleted from NNDL in 1993.	
11645	Vancomycin-Resistant Enterococcus		

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

Code	Event	Notes+	Print Criteria†
10030	Varicella (Chickenpox)*	Added to NNDL in 2003.	VPD print criteria are used. Cases with confirmed, probable, and unknown case status are printed.
11541	Vibrio parahaemolyticus		
	Vibrio spp., non-toxigenic, other or unspecified		
11542	Vibrio vulnificus		
10049	West Nile Fever	Use code 10056 for West Nile encephalitis/meningitis.	
10660	Yellow fever*		All reports are printed. Before printing, information is verified with the State Epidemiologist, and a courtesy e-mail is sent to NCID.
11565	Yersiniosis		

†Print policy for the National Notifiable Diseases Surveillance System: For a case report of a nationally notifiable infectious disease to print in the *Morbidity and Mortality Weekly Report (MMWR)*, the reporting state or territory must have designated the nationally notifiable infectious disease as reportable in their state or territory for the year corresponding to the database year of report to CDC. After this criterion is met, the disease-specific criteria listed in the table above are applied. When the above-listed table indicates that "all reports" will be earmarked for printing, this means that cases reported through the National Electronic Telecommunications System for Surveillance (NETSS) that are designated with "unknown" or "suspect" case confirmation status will print just as "probable" and "confirmed" cases will print. Print criteria for Vaccine Preventable Diseases (VPD) reflect the case confirmation status print criteria described by the Council of State and Territorial Epidemiologists (CSTE) 1999 Position Statement #ID-08 entitled "Vaccine Preventable Diseases Surveillance Data."

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.

+Since CSTE position statements are not generally finalized until July of each year, the NNDSS data for the newly added conditions are not available from all reporting entities (States and Territories) which have designated it as notifiable (reportable) in their States, until January of the year following the approval of the CSTE position statement. As such, the "Notes" section includes the first full calendar year that a condition was added (or deleted) from the NNDL—the list of nationally notifiable infectious diseases.

Abbreviations and other notes:

CDC Centers for Disease Control and Prevention
CSTE Council of State and Territorial Epidemiologists

EPO Epidemiology Program Office, Centers for Disease Control and Prevention

MMWR Morbidity and Mortality Weekly Report NCID National Center for Infectious Diseases

NETSS National Electronic Telecommunications System for Surveillance

NIP National Immunization Program

NNDL National Notifiable Disease List (infectious diseases reportable to CDC)

NNDSS National Notifiable Diseases Surveillance System

SSB Surveillance Systems Branch, EPO

STD*MIS Sexually Transmitted Diseases Management Information System-software for STD surveillance and case management

TIMS Tuberculosis Information Management System–software for TB surveillance and case management

VPD Vaccine Preventable Diseases

For purposes of this document, "line listed" data are meant to mean "case specific" data.

NNDSS event code list October 31, 2002 final rev1.doc Created using spreadsheet dated October 2002

^{*}Diseases in bold have been designated by CSTE as nationally notifiable and should be reported to CDC on a regular basis.